



Application No.: 10/809,169
Docket No.: PE0667USDIV2


Page 2

Listing of Claims

1. (Currently amended) A copolymer comprising at least one first monomeric unit and at least one second monomeric unit, wherein the at least one first monomeric unit has a Formulae I and I(a)



and the at least one second monomeric unit is selected from aromatic groups having Formula V



where:


in each of Formulae I, I(a) and V:

R is a substituent on a carbon atom which can be the same or different at each occurrence and is selected from hydrogen, alkyl, aryl, heteroalkyl,

Application No.: 10/809,169
 Docket No.: PE0667USDIV2

Page 3

heteroaryl, F, -CN, -OR¹, -CO₂R¹, -C_ψH_θF_λ, -OC_ψH_θF_λ, -SR¹, -N(R¹)₂, -P(R¹)₂, -SOR¹, -SO₂R¹, -NO₂, and beta-dicarbonyls having Formula XII



or

wherein R² is selected from hydrogen, alkyl, aryl, heteroalkyl, and heteroaryl; δ is 0 or an integer from 1 to 12 and adjacent R groups together can form a 5- or 6-membered cycloalkyl, aryl, or heteroaryl ring, such that:

R¹ is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from alkyl, aryl, heteroalkyl and heteroaryl; and

ψ is an integer between 1 and 20, and θ and λ are integers satisfying Equation A1 below:

$$\theta + \lambda = 2\psi + 1; \quad (\text{Equation A1});$$

in Formula V:

E can be the same or different at each occurrence and is a single bond or a linking group selected from arylene and heteroarylene;

~~in Formula V:~~

Q¹ is a carbonyl group, O, S, SO₂, or NR¹ where:

R¹ is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from alkyl, aryl, heteroalkyl and heteroaryl;

W is H, alkyl or heteroalkyl; or both of W together can represent one single bond.

Application No.: 10/809,169
 Docket No.: PE0667USDIV2

Page 4

in Formula XII:

~~R² is selected from hydrogen, alkyl, aryl, heteroalkyl and heteroaryl;
 s is 0 or an integer from 1 to 12.~~

2. (Original) The copolymer of Claim 1, wherein R groups in one or more of the at least one first monomeric unit are independently selected from alkyl groups having 1 to 30 carbon atoms; heteroalkyl groups having 1-30 carbon atoms and one or more heteroatoms of S, N, or O; aryl groups having from 6 to 20 carbon atoms, and heteroaryl groups having from 2 to 20 carbon atoms and one or more heteroatoms of S, N, or O.

3. (Original) The copolymer of Claim 1 that excludes any vinylene monomeric units.

4. (Currently amended) The copolymer of Claim 1 wherein each R group in each of Formula I, I(a), and Formula V is selected from:

hydrogen;

alkyl;

aryl;

heteroalkyl;

heteroaryl;

F;

-CN;

-P(R¹)₂ and -SOR¹, where R¹ is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from alkyl, aryl, heteroalkyl and heteroaryl;

-NO₂;

a beta-dicarbonyl having Formula XII ~~shown in Figure 12;~~

-C_ψH_θF_λ;

-OC_ψH_θF_λ;

-OR¹, -CO₂R¹, -SR¹, -N(R¹)₂, and -SO₂R¹ where R¹ is a straight chain or branched alkyl of more than 20 carbons or a straight chain or branched heteroalkyl.

5. (Original) The copolymer of Claim 1 wherein the at least one of the R groups in one or more of the at least one first monomeric unit is independently selected from linear and branched n-butyl groups; linear and branched iso-butyl groups; linear and branched pentyl groups; hexyl groups, and octyl groups with and

Application No.: 10/809,169






Docket No.: PE0667USDIV2

Page 5

without olefinic unsaturation; phenyl groups, thiophene groups, carbazole groups, alkoxy groups, phenoxy groups and cyano groups.

6. (Original) The copolymer of Claim 1 wherein at least one of the R groups in one or more of the at least one first monomeric unit are independently selected from H, C₆-C₁₂ alkoxy, phenoxy, C₆-C₁₂ alkyl, phenyl and cyano.

7. (Currently amended) The copolymer of Claim 1 wherein one or more of the at least one second monomeric unit is selected from Formulae V(a) through V(e)



where:

in Formulae V(a), and V(b):

R is as described above for each of Formulae I, I(a), and V;

and

in Formula V(e):


R¹ is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from alkyl, aryl, heteroalkyl and heteroaryl.

Application No.: 10/809,169
 Docket No.: PE0667USDIV2

Page 6

8. (Canceled)

9. (Currently Amended) The copolymer of Claim 1, wherein one or more of the at least one second monomeric unit has Formula V wherein R is selected from:
 partially or fully fluorinated alkyl groups having from 1 to 12 carbon atoms;
 alkoxy groups having from 1 to 12 carbon atoms;
 esters having from 3 to 15 carbon atoms;
 $-SR^1$, $-N(R^1)_2$, $-P(R^1)_2$, $-SOR^1$, $-SO_2R^1$, where R^1 is an alkyl group having from 1 to 12 carbon atoms;
 $-NO_2$; and
 beta-dicarbonyls having Formula XII



where:

~~In Formula XII:~~

wherein

R^2 is an alkyl group having from 1 to 12 carbon atoms and δ is 0, 1, or 2.

10. (Canceled)

11. (Canceled)

12. (Original) The copolymer of Claim 1, wherein one or more of the at least one second monomeric unit has Formula V wherein:

R groups are selected from H, C_6 - C_{12} alkyl groups, C_6 - C_{20} aryl groups, and C_2 - C_{20} heteroaryl groups; and
 the two W represent one single bond.

13. (Canceled)

Application No.: 10/809,169
Docket No.: PE0667USDIV2

Page 7

14. (Original) An electronic device comprising at least one electroactive layer comprising the copolymer of Claim 1.

15. (Original) The device of Claim 14, wherein the device comprises a hole injection/transport layer comprising the copolymer of Claim 1.

16. (Original) The device of Claim 14, wherein the device comprises an electron injection/transport layer comprising the copolymer of Claim 1.

17. (Original) The device of Claim 14, wherein the electroactive layer comprises a light-emitting material comprising the copolymer of Claim 1.

18. (Original) The copolymer of Claim 1, further comprising end-capping groups comprising an aromatic group.

19. (Original) The device of Claim 14, wherein the device is selected from a light-emitting device, a photodetector, and a photovoltaic device.

20. (Original) The device of Claim 14, wherein the device is an electroluminescent display.